Please check the examination det	ails below	before ente	ering your candidate information
Candidate surname			Other names
Pearson Edexcel International Advanced Level	Centre	e Number	Candidate Number
Wednesday 2	21 (	cto	ber 2020
Morning (Time: 1 hour 30 minut	es)	Paper Re	eference <b>WMA12/01</b>
Mathematics			
International Advance Pure Mathematics P2	ed Suk	osidiary	y/Advanced Level
You must have: Mathematical Formulae and Sta	ntistical 7	Tables (Lila	ac), calculator

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## **Instructions**

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
   there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

## Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 9 questions in this question paper. The total mark for this paper is 75.
- The marks for each question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







1. (a) Find the first 4 terms, in ascending powers of x, of the binomial expansion of

$$\left(2-\frac{x}{4}\right)^{10}$$

giving each term in its simplest form.

**(4)** 

(b) Hence find the constant term in the series expansion of

$$\left(3 - \frac{1}{x}\right)^2 \left(2 - \frac{x}{4}\right)^{10}$$

(2)
(.)
( )



	L b
uestion 1 continued	



Question 1 continued	
Question 1 continued	

	blank
	0.4
	Q1
(Total 7 marks)	



2.

$$y = \frac{2^x}{\sqrt{(5x^2 + 3)}}$$

(a) Complete the table below, giving the values of y to 3 decimal places.

x	-0.25	0	0.25	0.5	0.75
y	0.462		0.653		0.698

**(1)** 

(b) Use the trapezium rule, with all the values of y from the completed table, to find an approximate value for

$$\int_{-0.25}^{\bullet 0.75} \frac{2^x}{\sqrt{(5x^2+3)}} \, \mathrm{d}x$$

**(3)** 



Question 2 continued	blank
	-
	-
	_
	_
	_
	-
	-
	-
	-
	-
	·
	Q2
(Total 4 marks)	
(Total   marks)	



3.  $f(x) = ax^3 - x^2 + bx + 4$ 

where a and b are constants.

When f(x) is divided by (x + 4), the remainder is -108

(a) Use the remainder theorem to show that

$$16a + b = 24$$

**(2)** 

Given also that (2x - 1) is a factor of f(x),

(b) find the value of a and the value of b.

(3)

(c) Find f'(x).

**(1)** 

(d) Hence find the exact coordinates of the stationary points of the curve with equation y = f(x).

**(4)** 

estion 3 continued		
estion 5 continued		



Question 3 continued		

Question 3 continued	blank
	Q3
(Total 10 marks)	



Leave

4.	The points $P$ and $Q$ have coordinates $(-11, 6)$ and $(-3, 12)$ respectively.	
	Given that $PQ$ is a diameter of the circle $C$ ,	
	(a) (i) find the coordinates of the centre of C,	
	(ii) find the radius of $C$ .	(4)
	(b) Hence find an equation of <i>C</i> .	
		(2)
	(c) Find an equation of the tangent to $C$ at the point $Q$ giving your answer in form $ax + by + c = 0$ where $a$ , $b$ and $c$ are integers to be found.	(3)

uestion 4 continued	



Question 4 continued	

	Leave blank
Question 4 continued	
	Q4
(Total 9 marks)	
` '	



5. Ben is saving for the deposit for a house over a period of 60 months.

Ben saves £100 in the first month and in each subsequent month, he saves £5 more than the previous month, so that he saves £105 in the second month, £110 in the third month, and so on, forming an arithmetic sequence.

(a) Find the amount Ben saves in the 40th month.

**(2)** 

(b) Find the total amount Ben saves over the 60-month period.

(3)

Lina is also saving for a deposit for a house.

Lina saves £600 in the first month and in each subsequent month, she saves £10 less than the previous month, so that she saves £590 in the second month, £580 in the third month, and so on, forming an arithmetic sequence.

Given that, after n months, Lina will have saved exactly £18200 for her deposit,

(c) form an equation in n and show that it can be written as

$$n^2 - 121n + 3640 = 0 (3)$$

(d) Solve the equation in part (c).

**(2)** 

(e) State, with a reason, which of the solutions to the equation in part (c) is **not** a sensible value for *n*.

**(1)** 

uestion 5 continued	



Question 5 continue	ed		

Question 5 continued	blank
	Q5
	43
(Total 11 marks)	



**6.** 




Figure 1

Figure 1 shows a sketch of part of the curves  $C_1$  and  $C_2$  with equations

$$C_1: y = x^3 - 6x + 9$$
  $x \ge 0$   
 $C_2: y = -2x^2 + 7x - 1$   $x \ge 0$ 

The curves  $C_1$  and  $C_2$  intersect at the points A and B as shown in Figure 1.

The point A has coordinates (1, 4).

Using algebra and showing all steps of your working,

(a) find the coordinates of the point B.

**(4)** 

The finite region R, shown shaded in Figure 1, is bounded by  $C_{\scriptscriptstyle 1}$  and  $C_{\scriptscriptstyle 2}$ 

(b) Use algebraic integration to find the exact area of R.

(5)

uestion 6 continued	



Question 6 continued	
zuestion o continueu	

Question 6 continued	blank
	<b>Q6</b>
(Total 9 marks)	



7. (i) Show that

$$\tan \theta + \frac{1}{\tan \theta} \equiv \frac{1}{\sin \theta \cos \theta} \qquad \theta \neq \frac{n\pi}{2} \quad n \in \mathbb{Z}$$
(3)

(ii) Solve, for  $0 \le x < 90^{\circ}$ , the equation

$$3\cos^2(2x + 10^\circ) = 1$$

giving your answers in degrees to one decimal place.

(Solutions based entirely on graphical or numerical methods are not acceptable.)	)

Question 7 continued		blank
		<b>Q7</b>
	(Total 7 marks)	



- **8.** A geometric series has first term a and common ratio r.
  - (a) Prove that the sum of the first n terms of this series is given by

$$S_n = \frac{a(1 - r^n)}{1 - r}$$

 $=\frac{1-r}{1-r} \tag{3}$ 

The second term of a geometric series is -320 and the fifth term is  $\frac{512}{25}$ 

(b) Find the value of the common ratio.

**(2)** 

(c) Hence find the sum of the first 13 terms of the series, giving your answer to 2 decimal places.

**(3)** 

uestion 8 continued	



Question 8 continued	

Question 8 continued	blank
Question o continuou	
	Q8
(Total 8 marks)	



**9.** (i) Find the exact value of x for which

$$\log_3(x+5) - 4 = \log_3(2x-1)$$

**(4)** 

Leave blank

(ii) Given that

$$3^{y+3} \times 2^{1-2y} = 108$$

(a) show that

$$0.75^y = 2$$

**(4)** 

(b) Hence find the value of y, giving your answer to 3 decimal places.

**(2)** 


estion 9 continued	



2					2		
>					5	1	
						>	
2	5				2	١	
					S		
Q	è	ú	ú	ú			
4	ĸ	2			2	۱	
	9	ù	á	ø	S		
		6	ú	ś.		2	
a	ĺ	7	3		2	١	
y		2	4		S		
	2	₹	9	く			
>	١		S		2	1	
y	ø	4	ø	8	>		
				₹			
Ä		G	ú	e)	>		
>	4		ú	S	>	1	
4		₹	Ž			b	
7	ú	2	S	s	2	ς	
>	2	3	۲		5	1	
6	à	4	à			b	
					2		
>	2				١	7	
<.	2	4	à	ø		S	
A	q		S	2	2		
١,	ä	á	pÌ	×	\	7	
Ċ.	9		è	6		S	
$\geq$	6	2	ž	3	>		
			ζ		1	2	
	ú			ø		1	
S	_	₽	4	_	>		
	S	4	š		/	1	
×	۲	7	ť		>		
ς,	ú	٤.	ú	S			
4		7	ŕ		2	1	
У	Ŕ	3	۲	9	S		
4	h	ù	h	œ.	2	١	
		Ξ		2	S		
	7	₹					
	d		ς	2	$\geq$	ς	
	į	ě	Ş	3	ζ	S	
Ĉ				2	8	S	
Ĉ				2	3	8	
8		$\leq$		i	3	5	
<		$\leq$		i	3	5	
S		\ \ \			3	3	
S		\ \ \		i	3	3	
3		\ \ \ \			?	3	
3		\ \ \			3		
3		\ \ \ \			3	\ \ \	
3		\ \ \ \			?		
3		\ \ \ \			3		
3		\ \ \ \					
					\ \ \ \		
					3		
					\ \ \		

uestion 9 continued		biai
		Q
	(Total 10 marks)	
END	TOTAL FOR PAPER IS 75 MARKS	