




- 1 In the right-angled triangle  $ABC$ ,  $\cos C = \frac{4}{5}$ . Find angle  $A$ .



NOT TO  
SCALE

Answer Angle  $A =$  ..... [2]

---

- 2 Which of the following numbers are irrational?

$$\frac{2}{3} \quad \sqrt{36} \quad \sqrt{3} + \sqrt{6} \quad \pi \quad 0.75 \quad 48\% \quad 8^{\frac{1}{3}}$$

Answer ..... [2]

---

- 3 Show that  $1\frac{5}{9} \div 1\frac{7}{9} = \frac{7}{8}$ .

Write down all the steps in your working.

Answer

[2]

---

4  $\frac{3}{5} < p < \frac{2}{3}$

Which of the following could be a value of  $p$ ?

$\frac{16}{27}$     0.67    60%     $(0.8)^2$      $\sqrt{\frac{4}{9}}$

Answer ..... [2]

---

5 A meal on a boat costs 6 euros (€) or 11.5 Brunei dollars (\$).

In which currency does the meal cost less, on a day when the exchange rate is €1 = \$1.9037?  
Write down all the steps in your working.

Answer ..... [2]

---

6 Use your calculator to find the value of  $2^{\sqrt{3}}$ .

Give your answer correct to 4 significant figures.

Answer ..... [2]

---

7 Solve the equation  $4x + 6 \times 10^3 = 8 \times 10^4$ .

Give your answer in standard form.

Answer  $x =$  ..... [3]

---

8  $p$  varies directly as the square root of  $q$ .  
 $p = 8$  when  $q = 25$ .

Find  $p$  when  $q = 100$ .

Answer  $p =$  ..... [3]

---

9 Ashraf takes 1500 steps to walk  $d$  metres from his home to the station.  
Each step is 90 centimetres correct to the nearest 10 cm.

Find the lower bound and the upper bound for  $d$ .

Answer .....  $\leq d <$  ..... [3]

---

- 10 The table shows the opening and closing times of a café.

	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Opening time	0600	0600	0600	0600	0600	(a)	0800
Closing time	2200	2200	2200	2200	2200	2200	1300

- (a) The café is open for a total of 100 hours each week.  
Work out the opening time on Saturday.

Answer(a) ..... [2]

- (b) The owner decides to close the café at a later time on Sunday. This increases the **total** number of hours the café is open by 4%.  
Work out the new closing time on Sunday.

Answer(b) ..... [1]

- 11 Rearrange the formula  $c = \frac{4}{a-b}$  to make  $a$  the subject.

Answer  $a =$  ..... [3]

12 Solve the simultaneous equations.


$$\begin{aligned}x - 5y &= 0 \\15x + 10y &= 17\end{aligned}$$

For  
Examiner's  
Use

Answer  $x =$  .....

$y =$  ..... [3]

13



NOT TO  
SCALE

The points  $P$ ,  $Q$  and  $R$  lie on a circle, centre  $O$ .  
 $TP$  and  $TQ$  are tangents to the circle.  
Angle  $TPQ = 54^\circ$ .

Calculate the value of

(a)  $x$ ,

Answer(a)  $x =$  ..... [1]


(b)  $y$ ,

Answer(b)  $y =$  ..... [1]

(c)  $z$ .

Answer(c)  $z =$  ..... [2]

- 14 60 students recorded their favourite drink.  
The results are shown in the pie chart.



NOT TO  
SCALE

- (a) Calculate the angle for the sector labelled Lemonade.

Answer(a) ..... [1]

- (b) Calculate the number of students who chose Banana shake.

Answer(b) ..... [1]

- (c) The pie chart has a radius of 3 cm.  
Calculate the arc length of the sector representing Cola.

Answer(c) ..... cm [2]

For  
Examiner's  
Use


15 Write the following as a single fraction in its simplest form.

$$\frac{x+1}{x+5} - \frac{x}{x+1}$$

For  
Examiner's  
Use

Answer ..... [4]

16



$O$  is the origin and  $OABC$  is a parallelogram.  
 $CP = PB$  and  $AQ = QB$ .

$\vec{OA} = \mathbf{a}$  and  $\vec{OC} = \mathbf{c}$ .

Find in terms of  $\mathbf{a}$  and  $\mathbf{c}$ , in their simplest form,

(a)  $\vec{PQ}$ ,

Answer(a)  $\vec{PQ} = \dots\dots\dots$  [2]

(b) the position vector of  $M$ , where  $M$  is the midpoint of  $PQ$ .

Answer(b) ..... [2]



17 Simplify


(a)  $32x^8 \div 8x^{32}$ ,

Answer(a) ..... [2]

(b)  $\left(\frac{x^3}{64}\right)^{\frac{2}{3}}$ .

Answer(b) ..... [2]

18

The lines  $AB$  and  $CB$  intersect at  $B$ .(a) Find the co-ordinates of the midpoint of  $AB$ .

Answer(a) ( ..... , ..... ) [1]

(b) Find the equation of the line  $CB$ .

Answer(b) ..... [3]

19  $f(x) = x^2$        $g(x) = 2^x$        $h(x) = 2x - 3$

(a) Find  $g(3)$ .

*Answer(a)* ..... [1]

(b) Find  $hh(x)$  in its simplest form.


*Answer(b)* ..... [2]

(c) Find  $fg(x + 1)$  in its simplest form.

*Answer(c)* ..... [2]

---

*For  
Examiner's  
Use*



- (a) On the diagram above, **using a straight edge and compasses only**, construct
- (i) the bisector of angle  $ABC$ , [2]
  - (ii) the locus of points which are equidistant from  $A$  and from  $B$ . [2]
- (b) Shade the region inside the triangle which is nearer to  $A$  than to  $B$  **and** nearer to  $AB$  than to  $BC$ . [1]
- 

Question 21 is printed on the next page.

21 (a)

$$\mathbf{A} = \begin{pmatrix} 2 & 3 \end{pmatrix}$$

$$\mathbf{B} = \begin{pmatrix} 6 \\ -4 \end{pmatrix}$$

For  
Examiner's  
Use(i) Work out  $\mathbf{AB}$ .*Answer(a)(i)* [2](ii) Work out  $\mathbf{BA}$ .*Answer(a)(ii)* [2]

$$(b) \mathbf{C} = \begin{pmatrix} 3 & 1 \\ 1 & 1 \end{pmatrix}$$

Find  $\mathbf{C}^{-1}$ , the inverse of  $\mathbf{C}$ .*Answer(b)* [2]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.